



elitair Catalogue & Price List 2024

Model	Features	Metrics	Price €
-------	----------	---------	---------

**NOVELLA 5 60-E1 WH**



Type	Under-mount with Foldable Glass Panel	170.00
Filter Type	Multilayer Cassette & Optional Carbon Filter	
Number of Speed Settings & Max Airflow	3 - 335m <sup>3</sup> /h	
Number & Type of Lamps	2 x 28W - Halogen	
Energy Class & Noise Level	A - 64 dB(A)	
Colour	Metal White	
Dimensions - H x W x D (cm)	15 x 60 x 50.5	
Cut Out Dimensions - H x W x D (cm)		
Air Outlet Diameter (cm)	12	

**NOVELLA 5 60-E1 BLK**



Type	Under-mount with Foldable Glass Panel	170.00
Filter Type	Multilayer Cassette & Optional Carbon Filter	
Number of Speed Settings & Max Airflow	3 - 335m <sup>3</sup> /h	
Number & Type of Lamps	2 x 28W - Halogen	
Energy Class & Noise Level	A - 64 dB(A)	
Colour	Metal Black	
Dimensions - H x W x D (cm)	15 x 60 x 50.5	
Cut Out Dimensions - H x W x D (cm)		
Air Outlet Diameter (cm)	12	

**NOVELLA 5 60-E1 IX**



Type	Under-mount with Foldable Glass Panel	187.00
Filter Type	Multilayer Cassette & Optional Carbon Filter	
Number of Speed Settings & Max Airflow	3 - 335m <sup>3</sup> /h	
Number & Type of Lamps	3 - Halogen	
Energy Class & Noise Level	A - 64 dB(A)	
Colour	Inox	
Dimensions - H x W x D (cm)	15 x 60 x 50.5	
Cut Out Dimensions - H x W x D (cm)		
Air Outlet Diameter (cm)	12	

Model	Features	Metrics	Price €
-------	----------	---------	---------

**BEETLE 60 cm BU SL MTGRY**



Type	Under-mount	159.00
Filter Type	Multilayer Cassette & Optional Carbon Filter	
Number of Speed Settings & Max Airflow	3 - 350m <sup>3</sup> /h	
Number & Type of Lamps	2 x 2.5W - LED	
Energy Class & Noise Level	B - 64 dB(A)	
Colour	Metal Gray	
Dimensions - H x W x D (cm)	18.1 x 52.8 x 28	
Cut Out Dimensions - H x W x D (cm)	18.1 + 2.9 x 49.5 x 25.6	
Air Outlet Diameter (cm)	15	

**BEETLE PLUS 60cm BU IX**



Type	Under-mount	361.00
Filter Type	Multilayer Cassette & Optional Carbon Filter	
Number of Speed Settings & Max Airflow	3 - 628m <sup>3</sup> /h - Boost 730m <sup>3</sup> /h	
Number & Type of Lamps	2 x 2.5W - LED	
Energy Class & Noise Level	A - 64 dB(A)	
Colour	Metal Gray	
Dimensions - H x W x D (cm)	25 x 52.8 x 28	
Cut Out Dimensions - H x W x D (cm)	25 + 2.8 x 49.5 x 25.6	
Air Outlet Diameter (cm)	15	

**BEETLE PLUS 80cm BU IX**



Type	Under-mount	404.00
Filter Type	Multilayer Cassette & Optional Carbon Filter	
Number of Speed Settings & Max Airflow	3 - 628m <sup>3</sup> /h - Boost 730m <sup>3</sup> /h	
Number & Type of Lamps	2 x 2.5W - LED	
Energy Class & Noise Level	A - 64 dB(A)	
Colour	Metal Gray	
Dimensions - H x W x D (cm)	25 x 52.8 x 28	
Cut out Dimensions - H x W x D (cm)	25 + 2.8 x 49.5 x 25.6	
Air Outlet Diameter (cm)	15	

**GH30 55IX**



Type	Under-mount	510.00
Filter Type	Multilayer Cassette & Optional Carbon Filter	
Number of Speed Settings & Max Airflow	3 + 1 - 608m <sup>3</sup> /h - Boost 710m <sup>3</sup> /h	
Number & Type of Lamps	2 x 1W - LED	
Energy Class & Noise Level	A - 64 dB(A)	
Colour	Inox Stainless Steel	
Dimensions - H x W x D (cm)	31.5 x 54.2 x 28.5	
Cut Out Dimensions - H x W x D (cm)	31.5 + 1.5 x 52.5 x 27	
Air Outlet Diameter (cm)	15	

Model	Features	Metrics	Price €
-------	----------	---------	---------

**SLIM 4 PLUS Hood 60cm 2M IX**



Type	Cabinet Under-mount Telescopic	266.00
Filter Type	Multilayer Cassette & Optional Carbon Filter	
Number of Speed Settings & Max Airflow	3 - 618m <sup>3</sup> /h - Boost 710m <sup>3</sup> /h	
Number & Type of Lamps	2 x 2.5W - LED	
Energy Class & Noise Level	A - 68 dB(A)	
Colour	Inox Stainless Steel	
Dimensions - H x W x D (cm)	26.9 x 59.8 x 43	
Cut Out Dimensions - H x W x D (cm)	22.9 x 50.1 x 28.1	
Air Outlet Diameter (cm)	15	

**SLIM 4 60-E1 MGX**



Type	Under-mount Telescopic	202.00
Filter Type	Multilayer Cassette & Optional Carbon Filter	
Number of Speed Settings & Max Airflow	3 - 390m <sup>3</sup> /h	
Number & Type of Lamps	2 x 2.5W - LED	
Energy Class & Noise Level	A - 70 dB(A)	
Colour	Inox Stainless Steel	
Dimensions - H x W x D (cm)	17.5 x 59.8 x 43	
Cut Out Dimensions - H x W x D (cm)	13.5 x 50.1 x 28.1	
Air Outlet Diameter (cm)	12	

## Wall-Mounted Cooker Hoods

Model	Features	Metrics	Price €
-------	----------	---------	---------

### D3 60cm IX



Type	Wall-mounted	383.00
Filter Type	Multilayer Cassette & Extraction Vent	
Number of Settings & Max Airflow	3 - 664 m <sup>3</sup> /h - Booster 718 m <sup>3</sup> /h	
Number & Type of Lamps	2 x 20W - Halogen	
Energy Class & Noise Level	B - 62 dB(A)	
Colour	Inox Stainless Steel	
Dimensions - H x W x D (cm)	75.5 - 110 x 60 x 49	
Air Outlet Diameter (cm)	15	

### D3 60cm BLK

Type	Wall-mounted	351.00
Filter Type	Multilayer Cassette & Extraction Vent	
number of Speed Settings & Max Airflow	3 - 664 m <sup>3</sup> /h - Booster 718 m <sup>3</sup> /h	
Number & Type of Lamps	2 x 20W - Halogen	
Energy Class & Noise Level	B - 62 dB(A)	
Colour	Black	
Dimensions - H x W x D (cm)	75.5 - 110 x 60 x 49	
Air Outlet Diameter (cm)	15	

### D3 90cm IX



Type	Wall-mounted	446.00
Filter Type	Multilayer Cassette & Extraction Vent	
Number of Speed Settings & Max Airflow	3 - 664 m <sup>3</sup> /h - Booster 718 m <sup>3</sup> /h	
Number & Type of Lamps	2 x 20W - Halogen	
Energy Class & Noise Level	B - 64 dB(A)	
Colour	Inox Stainless Steel	
Dimensions - H x W x D (cm)	75.5 - 110 x 90 x 49	
Air Outlet Diameter (cm)	15	

### D3 90cm BLK

Type	Wall-Mounted	310.00
Filter Type	Multilayer Cassette & Extraction Vent	
Number of Speed Settings & Max Airflow	3 - 664 m <sup>3</sup> /h - Booster 718 m <sup>3</sup> /h	
Number & Type of Lamps	2 x 20W - Halogen	
Energy Class & Noise Level	B - 64 dB(A)	
Colour	Black	
Dimensions - H x W x D (cm)	75.5 - 110 x 90 x 49	
Air Outlet Diameter (cm)	15	

Model	Features	Metrics	Price €
-------	----------	---------	---------

**ARCO 60cm**



Type	Wall-mounted	436.00
Filter Type	Multilayer Cassette & Extraction Vent	
Number of Speed Settings & Max Airflow	3 - 664 m <sup>3</sup> /h - Booster 773 m <sup>3</sup> /h	
Number & Type of Lamps	2 x 20W - Halogen	
Energy Class & Noise Level	B - 62 dB(A)	
Colour	Inox Stainless Steel	
Dimensions - H x W x D (cm)	75.5 - 118 x 60 x 50	
Air Outlet Diameter (cm)	15	

## Wall-Mounted Cooker Hoods

Model	Features	Metrics	Price €
-------	----------	---------	---------

### SWING 60cm



Type	Wall-mounted	700.00
Filter Type	Multilayer Cassette & Extraction Vent	
Number of Speed Settings & Max Airflow	3 - 720 m <sup>3</sup> /h - Booster 950 m <sup>3</sup> /h	
Number & Type of Lamps	2 x 20W - Halogen	
Energy Class & Noise Level	B - 64 dB(A)	
Colour	Inox Stainless Steel	
Dimensions - H x W x D (cm)	64.5 - 111 x 60 x 50	
Air Outlet Diameter (cm)	15	

### SWING 90cm



Type	Wall-mounted	786.00
Filter Type	Multilayer Cassette & Extraction Vent	
Number of Speed Settings & Max Airflow	3 - 720 m <sup>3</sup> /h - Booster 950 m <sup>3</sup> /h	
Number & Type of Lamps	2 x 20W - Halogen	
Energy Class & Noise Level	B - 64 dB(A)	
Colour	Inox Stainless Steel	
Dimensions - H x W x D (cm)	64.5 - 111 x 90 x 50	
Air Outlet Diameter (cm)	15	

### RAP 60cm



Type	Wall-mounted	712.00
Filter Type	Multilayer Cassette & Extraction Vent	
Number of Speed Settings & Max Airflow	3 - 720 m <sup>3</sup> /h - Booster 850 m <sup>3</sup> /h	
Number & Type of Lamps	2 x 20W - Halogen	
Energy Class & Noise Level	B - 64 dB(A)	
Colour	Inox Stainless Steel	
Controls	Touch	
Dimension - H x W x D (cm)	66.5 - 113 x 60 x 48	
Air Outlet Diameter (cm)	15	

### RAP 90cm



Type	Wall-mounted	797.00
Filter Type	Multilayer Cassette & Extraction Vent	
Number of Speed Settings & Max Airflow	3 - 720 m <sup>3</sup> /h - Booster 850 m <sup>3</sup> /h	
Number & Type of Lamps	2 x 20W - Halogen	
Energy Class & Noise Level	B - 64 dB(A)	
Colour	Inox Stainless Steel	
Controls	Touch	
Dimensions - H x W x D (cm)	66.5 - 113 x 90 x 48	
Air Outlet Diameter (cm)	15	

## Ceiling-Mounted Cooker Hoods

Model	Features	Metrics	Price €
-------	----------	---------	---------

### KA4020L



Type	Ceiling-mounted	1126.00
Filter Type	Multilayer Cassette & Extraction Vent	
Number of Speed Settings & Max Airflow	4 - 600 m3/h - Booster 789 m3/h	
Number & Type of Lamps	4 x 1.3W - Circular LED	
Energy Class & Noise Level	B - 69 dB(A)	
Colour	Inox Stainless Steel	
	32 x 90 x 60	

### KA4020LR



Type	Ceiling-mounted	1243.00
Filter Type	Multilayer Cassette & Extraction Vent	
Number of Speed Settings & Max Airflow	4 - 600 m3/h - Booster 789 m3/h	
Number & Type of Lamps	4 x 1.3W - Rectangular LED	
Energy Class & Noise Level	B - 64 dB(A)	
Colour	Inox Stainless Steel	
	32 x 90 x 60	