QUICK REFERENCE GUIDE > RS6019F3LJ1

60cm Series 9 Integrated Triple Zone Freezer, Ice

Series 9 | Integrated

Panel Ready | Left hinge



Pair with the Integrated Triple Zone Refrigerator for the ultimate kitchen solution - this model features three independent food zones taking cooling flexibility to a new level.

- Three independent food zones, each with adjustable temperature to store different foods
- Panel ready, flush fit design with 4mm gaps and custom height installation
- Internal ice maker with boost for busy times

Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height 1870 mm
Width 592 mm
Depth 576 mm

FEATURES & BENEFITS

Three Levels Of Freshness

When it comes to optimal food preservation, one temperature does not fit all. Three independent food zones give you full control over the way you care for food. The Freezer zone has adjustable temperature from -21°C to -14°C, while the top two compartments can be converted into a Chill (-1.5°C to 0°C), Soft-Freeze (-10°C to -8°C) or Freezer zone (-21°C to -14°C), to best suit different types of food. Adjust temperature for everyday convenience, or to provide additional chilling capacity for special occasions.

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Chill Mode

Keep ready-to-eat food fresher for longer with Chill mode (-1.5 to 0°C). Chill mode is a perfect solution for everyday life. It keeps meats, poultry and fish as cool as possible without freezing, retaining vital freshness and helps food retain its condition. It's also great for entertaining. Set one of the top two compartments to Chill mode to quickly bring beverages down to serving temperature.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the freezer door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

Hinge change (from left hinge to right hinge)

Joiner kit

AJRS19LR

Accessories (sold separately)

Door panel set stainless steel	Right & Left hinge RD6019	Automatic ice maker	•	Supply voltage	230 V
Handle kit Classic	AHCLRDSF	Bottle chill	•		
Handle kit Contemporary round, aluminium	AHSRDSF	Door alarm	•	Product dimensions	
Handle kit Contemporary square fine,	AHD5RDSF	Fast freeze Freezer bins	•	Depth	576 mm
Handle kit Contemporary square fine, black	AHD5RDSFB	Ice Boost	•	Height	1870 mm
Handle kit Professional round flush	AHP3RDSF	Ice making rate per day	1 kg	Width	592 mm
Toe kick stainless steel 1200mm	AKRS12010	LED bin lighting	•		
Toe kick stainless steel 1800mm	AKRS18010	LED ceiling lighting	•		
Toe kick stainless steel 600mm	AKRS06010	LED side lighting	•	Warranty	
Water filter replacement	847200 - FWC3			Parts and labour	2 years
		Installation Dimensions		Sealed system parts only	5 years
Capacity			COO		
Capacity		Minimum inside width of cabinetry frame	600 mm		
Total gross capacity	327 L	Minimum internal depth of cabinetry	600 mm	SKU	26219
Volume	303 L	Minimum internal height of cabinetry	1880 mm		
Volume freezer	303 L				
		Performance		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore	
Consumption		ActiveSmart™ Foodcare	•	check with Fisher & Paykel's Customer Care Centr	
Energy rating	E	Adaptive defrost	•	correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Energy usage	267kWh/year	Frost free	•		
		Inverter controlled compressor	•		
		Sabbath mode	•	Other product downloads available at fish	erpaykel.com
Features		Triple evaporator	•		
Adjustable door shelves	2	Variable temperature zones	3		08 Hinge
Smart appliance	•				
SmartTouch control panel	•				
		Power requirements			08 Hinge
		Amperage	10 A	2D-DXF Freezer	
Freezer Features		Supply frequency	50 Hz		nel Preparation

QUICK REFERENCE GUIDE > RS6019F3LJ1 Date: 30.10.2024 > 3

- ↓ Declaration of Conformity Refrigeration with WiFi Capability
- ↓ Declaration of Conformity
- ↓ Energy Label
- ↓ Service & Warranty
- ↓ Installationsvejledning DA
- ↓ Installationsanleitung DEU
- J. Installatiehandleiding DUT
- J Installation Guide EN
- ↓ Guía de instalación ES
- ↓ Asennusopas FIN
- J. Guide d'installation FR
- ↓ MMM MMMHEB
- ↓ Guida d'installazione ITA
- Installasjonsveiledning NOR
- ↓ Installationsguide SWE
- ↓ Planning Guide Integrated Refrigeration
- J. Revit 18 Freezer
- J. Rhino 5 Freezer
- J. Rhino 5 Freezer with Custom Panel
- ↓ Rhino 5 Freezer Door with Classic Round Handle
- J. Rhino 5 Freezer Door with Contemporary Round Handle
- Rhino 5 Freezer Door with Professional Round Flush Handle
- Rhino 5 Freezer Door with Square Fine Black Handle
- ↓ Rhino 5 Freezer Door with Square Fine Handle
- ↓ Sketchup 8 Freezer
- Sketchup 8 Freezer with Custom Panel
- J. Sketchup 8 Freezer Door with Classic Round Handle
- Sketchup 8 Freezer Door with Contemporary Round Handle
- Sketchup 8 Freezer Door with Professional Round Flush
- ↓ Sketchup 8 Freezer Door with Square Fine Handle
- ↓ Benutzerhandbuch DEU

- Gebruikershandleiding DUT
- User Guide Integrated Refrigerator & Freezer
- User Guide Integrated Refrigerator Freezer EN
- J. Guía del usuario ES
- ↓ Käyttöopas FIN
- Guide d'utilisation FR
- ↓ MMMMMHEB
- Guida dell'utente ITA
- Brukerhåndbok NOR
- ↓ Användarmanual SWE

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000886605 Wwww.fisherpaykel.com