QUICK REFERENCE GUIDE > RS7621SRK2

76cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for true design freedom - this model is right hinge with white interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	2134 mm
Width	756 mm
Depth	610 mm

FEATURES & BENEFITS

VARIABLE TEMPERATURE ZONES

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

PANTRY MODE

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hing	ge 762mm RD7621L10D
Door panel stainless steel Right hir 762mm	nge RD7621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, a	luminium AHSRDSF
Handle kit Contemporary square fi aluminium	ine, AHD5RDSF
Handle kit Contemporary square fi	ine, black AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1524mm	AKRS15210
Toe kick stainless steel 1981mm	AKRS19810

Toe kick stainless steel 2134mm	AKRS21310	LED ceiling lighting	•	Product dimensions	
Toe kick stainless steel 762mm	AKR\$7610	LED Lighting	•	Depth	610 mm
		LED side lighting	•	Height	2134 mm
		SmartTouch interface at counter height	•	Height to top of cabinet	756 mm
Capacity				Width	756 mm
Total gross capacity	498 L				
Volume	463 L	Installation Dimensions			
Volume refrigerator	463 L	Minimum inside width of cabinetry frame	762 mm	Product information	
		Minimum internal depth of cabinetry	635 mm	Packaged weight	156 kg
		Minimum internal height of cabinetry	2134 mm	Unpackaged weight	133 kg
Consumption					_
Energy rating	В				
Energy usage 103kWh/yea	103kWh/year	Performance		Warranty	
		ActiveSmart™ Foodcare	•	Parts and labour	5 years
		Adaptive defrost	•	Sealed system parts only	5 years
Features		Dual evaporator	•		•
Adjustable door shelves	4	Frost free	•	_	
Adjustable glass shelves	4	Frost free freezer	•		
Covered door shelves	1	Humidity control system	•	SKU	26634
Door alarm	•	Inverter controlled compressor	•		
Front levelling feet	•	Noise emissions	42 dBA	The product dimensions and specifications in this page apply to the specific	
Gallon door shelves	1	Noise emissions class	D	product and model. Under our policy of continuous improvement, these	
LED bin lighting	•	Sabbath mode	•	dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page	
LED ceiling lighting	•	Variable temperature zones	2	correctly describes the model currently available. © Fisher & Paykel	
LED side lighting	•			Appliances Ltd 2020	
SmartTouch interface at counter height	•				
Stackable bottle holders	4	Power requirements		Other product downloads available at fish	pernaykel com
		Rated current	10 A	other product downloads available at 11311	ici paykeneom
		Supply frequency	50 Hz	Declaration of Conformity Refrigerat	ion with WiFi Capability
Freezer Features		Supply voltage	230 V	 → Declaration of Conformity Refrigerat → Energy Rating 	Gapability
LED bin lighting	•			↓ Service & Warranty	

QUICK REFERENCE GUIDE > RS7621SRK2 Date: 17.10.2024 > 3

- Installation Guide Toe Kick
- ↓ Revit Integrated Column Refrigerator
- Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- ↓ Sketchup Integrated Column Refrigerator
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- ↓ Brugervejledning DA
- ↓ User Guide Integrated Refrigerator Freezer EN
- ↓ Käyttöopas FI
- ↓ MXXXX MXXXXXHE

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

