QUICK REFERENCE GUIDE > RS6121SLHK1 Date: 11.03.2021 > 1

Integrated Column Refrigerator, 61cm, Water

Series 9 | integrated

Panel Ready | Left hinge




Install it separately or pair with another Column for seamless kitchen integration – this model is right hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
- Internal water dispenser for convenient access to fresh, chilled water

 Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134 mm
Width 603 mm
Depth 610 mm



FEATURES & BENEFITS

Variable temperature zones

Create the perfect climate by storing food at their optimal temperature. Change a compartment to Fridge, Pantry or Chill.

Internal water dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit

design of the water dispenser maximises internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs - or install separately. They can be customised with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

Clever energy

<>

Appealing illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

Design quality

<>

Perfect fit

<>

SPECIFICATIONS

Accessories (sold separately) 1067mm Stainless steel toe 25393 1220mm Stainless steel toe 25395 1372mm Stainless steel toe kick 25397 1524mm Stainless steel toe 25399 1676mm Stainless steel toe 26073 1828mm Stainless steel toe kick 26074 1981mm Stainless steel toe kick 26075 26076 2134mm Stainless steel toe

QUICK REFERENCE GUIDE > RS6121SLHK1 Date: 11.03.2021 > 2

610mm Stainless steel toe kick	25389
762mm Stainless steel toe kick	25391
Contemporary round handle	25324
Contemporary square handle	25322
Hinge change (from left hinge	848188
Hinge change (from right hinge	848187
Joiner kit	25328
Replacement water filter	847200
Square fine aluminium handle	25862
Square fine black handle kit	25907
Stainless steel door panel	25312 (right hinge); 25313 (left
Capacity	
Refrigerator	383L
Total gross	383L
Performance	
Performance ActiveSmart™ Foodcare	
ActiveSmart™ Foodcare	
ActiveSmart™ Foodcare Adaptive defrost	•
ActiveSmart™ Foodcare Adaptive defrost Dual evaporator	
ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free	
ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free Humidity control system	
ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free Humidity control system Inverter controlled compressor	• • • • • • Pantry; Fridge; Chill
ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free Humidity control system Inverter controlled compressor Sabbath mode	Pantry; Fridge; Chill
ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free Humidity control system Inverter controlled compressor Sabbath mode Variable food modes	
ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free Humidity control system Inverter controlled compressor Sabbath mode Variable food modes Variable temperature zones	

Supply voltage	230V
Product dimensions	
Depth	610 mm
Height	2134 mm
Width	603 mm
Refrigerator features	
Adjustable door shelves	4
Adjustable glass cantilevered	•
Covered door shelves	1
Door alarm	•
Gallon door shelves	1
Internal water dispenser	•
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
SmartTouch interface at	•
Soft-close fruit and vegetable	4
Stackable bottle holders	4 x clip in; 4 x flexible
Wi-Fi capable	•
Warranty	
Parts and labour	5 years
Sealed system parts only	5 years
SKU	26100

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > RS6121SLHK1 Date: 11.03.2021 > 3

Other product downloads available at fisherpaykel.com



User Guide



Service & Warranty Booklet



Installation Guide



Resources - RS6121SLHK1 (zip)



Resources - RS6121SRHK1 (zip)



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W**www.fisherpaykel.com